

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
Date: June 11, 2004

B/ZFW



Sonia V. McVean
Sonia V. McVean

PATENT
36856.618

Applicant: Akira KATO	Art Unit: 2816
Serial No.: 10/077,787	
Filed: February 20, 2002	Examiner: H. Nguyen
Title: OSCILLATOR DEVICE AND ELECTRONIC APPARATUS USING THE SAME	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
RESPONSE TO NOTICE REGARDING DRAWINGS

Mail Stop Issue Fee
Drawings
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

In response to the Notice of Drawing Inconsistency with Specification, mailed May 18, 2004, enclosed please find the following for filing in the above-identified patent application:

1. Copy of the Notice Regarding Drawings; and
2. Thirteen sheets of formal drawings (Figs. 1-13) for filing in the above-identified patent application.

The Notice of Drawings mentions that Figure 14 is listed in the Brief Description of the Drawings in the specification but not contained in the Drawings. Applicant believes that the U.S. Patent Office made an error and meant to write that


Serial No. 10/077,787
June 11, 2004
Page 2 of 2

Figure 13 is listed in the Brief Description of the Drawings in the specification but not contained in the Drawings as Applicant indeed added Figure 13 in the Amendment filed on August 28, 2003.

Date: June 11, 2004

KEATING & BENNETT LLP
10400 Eaton Place, Suite 312
Fairfax, VA 22030
Telephone: (703) 385-5200

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Christopher A. Bennett", written over a horizontal line.

Christopher A. Bennett
Attorney for Applicants
Registration No. 46,710



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/077,787	02/20/2002	Akira Kato	36856.618	3633

7590 05/18/2004

Keating & Bennett LLP
Suite 312
10400 Eaton Place
Fairfax, VA 22030



EXAMINER

NGUYEN, HIEP

ART UNIT	PAPER NUMBER
----------	--------------

2816

DATE MAILED: 05/18/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

10/077, 787



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 8/14/05 & 8/17/05 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 14 are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures _____ are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS**, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101

FORM PTO-1631 (REV. 10-03)

BEST AVAILABLE COPY